



2010

Summary of WisDOT tests of Glass Beads used in pavement marking

Contact:

Thomas Brokaw, Materials Laboratory Unit supervisor

3502 Kinsman Blvd

Madison, WI

Phone- (608) 246-7934

E-mail:

thomas.brokaw@dot.wi.gov

** denotes an unsatisfactory batch that is excluded for use.*

<u>WisDOT Test</u>			<u>Manufacturer</u>	<u>Batch</u>	<u>WisDOT Comments</u>
310	1	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H120709MUC	Satisfactory for Epoxy only
310	2	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H121209MUA	Satisfactory for Epoxy only
310	3	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H121409MUD	Satisfactory for Epoxy only
310	4	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H121609MUA	Satisfactory for Epoxy only
310	5	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H121709MUA	Satisfactory for Epoxy only
310	6	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H121809MUA	Satisfactory for Epoxy only
310	7	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H121809MUD	Satisfactory for Epoxy only
310	8	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H121809MUE	Satisfactory for Epoxy only
310	9	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H121909MUA	Satisfactory for Epoxy only
310	10	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H123009MUA	Satisfactory for Epoxy only
310	11	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H123009MUB	Satisfactory for Epoxy only
310	12	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H123009MUE	Satisfactory for Epoxy only
310	13	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H010510MUA	Satisfactory for Epoxy only
310	14	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H010710MUC	Satisfactory for Epoxy only
310	15	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H010710MUD	Satisfactory for Epoxy only
310	16	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H010410MUD	Satisfactory for Epoxy and Paint
310	17	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H010710MUA	Satisfactory for Epoxy and Paint
310	18	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H010710MUB	Satisfactory for Epoxy and Paint
310	19	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H010810MUA	Satisfactory for Epoxy and Paint
310	20	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H011410MUD	Satisfactory for Epoxy only
310	21	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H011510MUA	Satisfactory for Epoxy only
310	22	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H012510MUA	Satisfactory for Epoxy only
310	23	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H012510MUB	Satisfactory for Epoxy only
310	24	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H011110MUF	Satisfactory for Epoxy only
310	25	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H012710MUA	Satisfactory for Epoxy only
310	26	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H012710MUB	Satisfactory for Epoxy only
310	27	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H012710MUC	Satisfactory for Epoxy only
310	28	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H020410MUA	Satisfactory for Epoxy only



2010

Summary of WisDOT tests of Glass Beads used in pavement marking

Contact:

Thomas Brokaw, Materials Laboratory Unit supervisor
 3502 Kinsman Blvd
 Madison, WI
 Phone- (608) 246-7934
 E-mail:
thomas.brokaw@dot.wi.gov

** denotes an unsatisfactory batch that is excluded for use.*

WisDOT Test			Manufacturer	Batch	WisDOT Comments
310	29	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H020410MUB	Satisfactory for Epoxy only
310	30	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H012810MUB	Satisfactory for Epoxy only
310	31	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H020510MUC	Satisfactory for Epoxy and Paint
310	32	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H020510MUD	Satisfactory for Epoxy only
310	33	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H020910MUA	Satisfactory for Epoxy only
310	34	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H020910MUB	Satisfactory for Epoxy only
310	35	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H021110MUB	Satisfactory for Epoxy only
310	36	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H021110MUC	Satisfactory for Epoxy only
310	37	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H021210MUA	Satisfactory for Epoxy only
310	38	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H021210MUB	Satisfactory for Epoxy only
310	39	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H021210MUC	Satisfactory for Epoxy and Paint
310	40	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H021210MUD	Satisfactory for Epoxy only
310	41	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H021910MUA	Satisfactory for Epoxy only
310	42	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H022610MUB	Satisfactory for Epoxy only
310	43	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H022410MUD	Satisfactory for Epoxy only
310	44	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H022710MUC	Satisfactory for Epoxy only
310	45	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H031210MUC	Satisfactory for Epoxy and Paint
310	46	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H022710MUD	Satisfactory for Epoxy only
310	47	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H032410MUE	Satisfactory for Epoxy and Paint
310	48	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H032910MUB	Satisfactory for Epoxy only
310	49	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H040910MUC	Satisfactory for Epoxy and Paint
310	50	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H040910MUD	Satisfactory for Epoxy and Paint
310	51	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H041510MUE	Satisfactory for Epoxy and Paint
310	52	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H041710MUD	Satisfactory for Epoxy only
310	53	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H041810MUA	Satisfactory for Epoxy only
310	54	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H041810MUB	Satisfactory for Epoxy only
310	55	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H041710MUE	Satisfactory for Epoxy only
310	56	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H041810MUC	Satisfactory for Epoxy only



2010

Summary of WisDOT tests of Glass Beads used in pavement marking

Contact:

Thomas Brokaw, Materials Laboratory Unit supervisor

3502 Kinsman Blvd

Madison, WI

Phone- (608) 246-7934

E-mail:

thomas.brokaw@dot.wi.gov

** denotes an unsatisfactory batch that is excluded for use.*

<u>WisDOT Test</u>			<u>Manufacturer</u>	<u>Batch</u>	<u>WisDOT Comments</u>
310	57	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H042010MUE	Satisfactory for Epoxy and Paint
310	58	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H042610MUA	Satisfactory for Epoxy and Paint
310	59	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H042610MUB	Satisfactory for Epoxy and Paint
310	60	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H042710MUD	Satisfactory for Epoxy only
310	61	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H042710MUE	Satisfactory for Epoxy only
310	62	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H042710MUF	Satisfactory for Epoxy only
310	63	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H042810MUA	Satisfactory for Epoxy only
310	64	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H042810MUB	Satisfactory for Epoxy only
310	65	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H050310MUA	Satisfactory for Epoxy only
310	66	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H050710MUD	Satisfactory for Epoxy and Paint
310	67	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H050710MUE	Satisfactory for Epoxy and Paint
310	68	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H050810MUB	Satisfactory for Epoxy and Paint
310	69	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H050910MUA	Satisfactory for Epoxy and Paint
310	70	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H050910MUB	Satisfactory for Epoxy and Paint
310	71	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H052510MUA	Satisfactory for Epoxy and Paint
310	72	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H052510MUB	Satisfactory for Epoxy and Paint
310	73	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H060710MUC	Satisfactory for Epoxy and Paint
310	74	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H060710MUD	Satisfactory for Epoxy and Paint
310	75	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H060110MUC	Satisfactory for Epoxy and Paint
310	76	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H062110MUB	Satisfactory for Epoxy only
310	77	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H061310MUD	Satisfactory for Epoxy and Paint
310	78	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H061310MUC	Satisfactory for Epoxy and Paint
310	79	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H062710MUA	Satisfactory for Epoxy and Paint
310	80	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H070610MUB	Satisfactory for Epoxy only
310	81	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H070810MUC	Satisfactory for Epoxy only
310	82	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H071110MUB	Satisfactory for Epoxy only
310	83	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H071110MUA	Satisfactory for Epoxy only
310	84	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H071110MUC	Satisfactory for Epoxy only



2010

Summary of WisDOT tests of Glass Beads used in pavement marking

Contact:
 Thomas Brokaw, Materials Laboratory Unit supervisor
 3502 Kinsman Blvd
 Madison, WI
 Phone- (608) 246-7934
 E-mail:
thomas.brokaw@dot.wi.gov

** denotes an unsatisfactory batch that is excluded for use.*

<u>WisDOT Test</u>			<u>Manufacturer</u>	<u>Batch</u>	<u>WisDOT Comments</u>
310	85	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H070810MUB	Satisfactory for Epoxy only
310	86	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H071310MUA	Satisfactory for Epoxy only
310	87	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H071310MUB	Satisfactory for Epoxy only
310	88	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H071510MUB	Satisfactory for Epoxy only
310	89	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H071310MUE	Satisfactory for Epoxy only
310	90	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H071510MUC	Satisfactory for Epoxy only
310	91	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H071710MUA	Satisfactory for Epoxy only
310	92	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H071710MUC	Satisfactory for Epoxy only
310	93	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H071710MUD	Satisfactory for Epoxy only
310	94	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H071710MUE	Satisfactory for Epoxy only
310	95	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H072710MUA	Satisfactory for Epoxy only
310	96	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H072710MUB	Satisfactory for Epoxy only
310	97	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H072710MUC	Satisfactory for Epoxy only
310	98	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H072710MUD	Satisfactory for Epoxy only
310	99	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H072810MUA	Satisfactory for Epoxy only
310	100	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H072810MUC	Satisfactory for Epoxy only
310	101	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H072810MUD	Satisfactory for Epoxy only
310	102	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H072910MUA	Satisfactory for Epoxy only
310	103	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H080510MUD	Satisfactory for Epoxy only
310	104	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H080510MUC	Satisfactory for Epoxy only
310	105	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H080510MUE	Satisfactory for Epoxy only
310	106	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H072910MUD	Satisfactory for Epoxy only
310	107	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H080610MUC	Satisfactory for Epoxy only
310	108	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H080710MUA	Satisfactory for Epoxy only
310	109	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H080710MUD	Satisfactory for Epoxy only
310	110	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H080810MUA	Satisfactory for Epoxy only
310	111	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H080810MUB	Satisfactory for Epoxy only
310	112	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H080810MUC	Satisfactory for Epoxy only



2010

Summary of WisDOT tests of Glass Beads used in pavement marking

Contact:
 Thomas Brokaw, Materials Laboratory Unit supervisor
 3502 Kinsman Blvd
 Madison, WI
 Phone- (608) 246-7934
 E-mail:
thomas.brokaw@dot.wi.gov

** denotes an unsatisfactory batch that is excluded for use.*

<u>WisDOT Test</u>			<u>Manufacturer</u>	<u>Batch</u>	<u>WisDOT Comments</u>
310	113	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H080910MUA	Satisfactory for Epoxy only
310	114	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H081910MUB	Satisfactory for Epoxy and Paint
310	115	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H081910MUC	Satisfactory for Epoxy only
310	116	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H081910MUD	Satisfactory for Epoxy only
310	117	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H082010MUA	Satisfactory for Epoxy only
310	118	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H082610MUA	Satisfactory for Epoxy and Paint
310	119	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H082410MUE	Satisfactory for Epoxy and Paint
310	120	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H083010MUB	Satisfactory for Epoxy and Paint
310	121	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H083010MUC	Satisfactory for Epoxy and Paint
310	122	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H090310MUA	Satisfactory for Epoxy and Paint
310	123	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H091310MUB	Satisfactory for Epoxy and Paint
310	124	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H091710MUE	Satisfactory for Epoxy and Paint
310	125	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H092310MUG	Satisfactory for Epoxy and Paint
310	126	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H092510MUA	Satisfactory for Epoxy and Paint
310	127	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H092510MUB	Satisfactory for Epoxy only
310	128	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H092310MUF	Satisfactory for Epoxy only
310	129	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H100110MUA	Satisfactory for Epoxy only
310	130	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H100110MUB	Satisfactory for Epoxy only
310	131	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H100210MUD	Satisfactory for Epoxy only
310	132	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H100210MUA	Satisfactory for Epoxy and Paint
310	133	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H100310MUA	Satisfactory for Epoxy and Paint
310	134	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H100310MUB	Satisfactory for Epoxy and Paint
310	135	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H100610MUD	Satisfactory for Epoxy only
310	136	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H100710MUA	Satisfactory for Epoxy only
310	137	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H101010MUB	Satisfactory for Epoxy only
310	138	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H101210MUA	Satisfactory for Epoxy only
310	139	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H101310MUC	Satisfactory for Epoxy only
310	140	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H101310MUD	Satisfactory for Epoxy only



2010

Summary of WisDOT tests of Glass Beads used in pavement marking

Contact:
 Thomas Brokaw, Materials Laboratory Unit supervisor
 3502 Kinsman Blvd
 Madison, WI
 Phone- (608) 246-7934
 E-mail:
thomas.brokaw@dot.wi.gov

** denotes an unsatisfactory batch that is excluded for use.*

<u>WisDOT Test</u>			<u>Manufacturer</u>	<u>Batch</u>	<u>WisDOT Comments</u>
310	141	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H101410MUC	Satisfactory for Epoxy only
310	142	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H101010MUC	Satisfactory for Epoxy only
310	143	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H101010MUD	Satisfactory for Epoxy only
310	144	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H101110MUA	Satisfactory for Epoxy only
310	145	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H101110MUC	Satisfactory for Epoxy only
310	146	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H101510MUD	Satisfactory for Epoxy only
310	147	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H101610MUA	Satisfactory for Epoxy only
310	148	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H101710MUA	Satisfactory for Epoxy only
310	149	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H101710MUB	Satisfactory for Epoxy only
310	150	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H101710MUC	Satisfactory for Epoxy only
310	151	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H101810MUB	Satisfactory for Epoxy only
310	152	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H101810MUC	Satisfactory for Epoxy only
310	153	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H101910MUC	Satisfactory for Epoxy only
310	154	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H101910MUD	Satisfactory for Epoxy only
310	155	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H102010MUA	Satisfactory for Epoxy and Paint
310	156	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H102010MUC	Satisfactory for Epoxy only
310	157	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H102010MUD	Satisfactory for Epoxy only
310	158	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H102010MUE	Satisfactory for Epoxy and Paint
310	159	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H102310MUC	Satisfactory for Epoxy only
310	160	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H102310MUD	Satisfactory for Epoxy only
310	161	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H102410MUD	Satisfactory for Epoxy only
310	162	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H102410MUE	Satisfactory for Epoxy only
310	163	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H102510MUC	Satisfactory for Epoxy only
310	164	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H102510MUD	Satisfactory for Epoxy only
310	165	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H102910MUA	Satisfactory for Epoxy only
310	166	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H102910MUB	Satisfactory for Epoxy only
310	167	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H102910MUC	Satisfactory for Epoxy only
310	168	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H102910MUD	Satisfactory for Epoxy only



2010

Summary of WisDOT tests of Glass Beads used in pavement marking

Contact:

Thomas Brokaw, Materials Laboratory Unit supervisor

3502 Kinsman Blvd

Madison, WI

Phone- (608) 246-7934

E-mail:

thomas.brokaw@dot.wi.gov

** denotes an unsatisfactory batch that is excluded for use.*

<u>WisDOT Test</u>			<u>Manufacturer</u>	<u>Batch</u>	<u>WisDOT Comments</u>
310	169	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H102910MUE	Satisfactory for Epoxy only
310	170	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H110210MUC	Satisfactory for Epoxy only
310	171	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H110310MUA	Satisfactory for Epoxy only
310	172	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H110310MUB	Satisfactory for Epoxy only
310	173	2010	POTTERS INDUSTRIES / FLEX-O-LITE	H110310MUC	Satisfactory for Epoxy only