

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT
NOTICE TO CONTRACTORS**

BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 9 A.M. LOCAL TIME, TUESDAY, February 23, 2010, to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express™ on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to Room 732 (7th Floor) of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin. The bidding proposals received will then be publicly opened and read aloud in Room 701 (located adjacent to Room 732) of the Hill Farms State Transportation Building.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct mailing address is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, P.O. Box 7916, Madison, Wisconsin, 53707-7916. The correct street address for shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, 4802 Sheboygan Avenue, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development in Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

PROPOSAL GUARANTY. With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

PLANS AND SAMPLE PROPOSALS. The Department has plans and sample proposals for the work on file and available for office examination in the Bureau of Project Development in Madison and in its respective regional offices in whose territory the work is located.

Orders for plans and proposals must be submitted on the Proposal Request Form furnished by the Department. Copies of this form may be obtained at the Bureau of Project Development in Madison, at <http://www.dot.wisconsin.gov/forms/docs/dt1633.doc>, or by calling (608) 266-1631. A CD ROM containing Adobe Acrobat files (.pdf) of all of the plans and sample proposals in the letting will be issued rather than paper copies when a plan and/or sample proposal is ordered. The cost of the CD ROM is \$10.00. Contractors may take the CD ROM to a private print shop or use their own equipment to print the plans and/or sample proposals. CD ROMS may be purchased in person Monday through Thursday 8 AM to 4 PM or Friday 8 AM to 12 PM at the Bureau of Project Development, Room 601, 4802 Sheboygan Avenue, Madison, Wisconsin. CD ROMS may also be ordered by submitting a completed Proposal Request Form by mail to the Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, P.O. Box 7916, Madison, Wisconsin, 53707-7916, by fax at (608) 266-8459, or by e-mail at constplans.dtid@dot.state.wi.us. For CD ROMS ordered by mail, include a check or money order in the amount of \$10.00, which includes the sales tax, made payable to the Wisconsin Department of Transportation. For CD ROMS ordered by fax or by e-mail, the purchaser will be billed. The Department will not refund payments made for CD ROMS. Purchasers need not return CD ROMS to the Department.

BIDDING PROPOSALS. BIDDERS MUST REQUEST BIDDING PROPOSALS ON THE PROPOSAL REQUEST FORM FURNISHED BY THE DEPARTMENT. BIDDERS MUST SUBMIT THEIR REQUEST TO THE BUREAU OF PROJECT DEVELOPMENT NO LATER THAN 11:45 A.M. OF THE LAST BUSINESS DAY PRECEDING THE LETTING. BIDDERS MAY OBTAIN THE PROPOSAL REQUEST FORM AT THE BUREAU OF PROJECT DEVELOPMENT IN MADISON, AT <http://www.dot.wisconsin.gov/forms/docs/dt1633.doc>, OR BY CALLING (608) 266-1631.

HOURS OF LABOR AND MINIMUM WAGE RATES. Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

AFFIRMATIVE ACTION. The Department hereby notifies all bidders that for all proposals hereinafter described in this advertisement, the Department will affirmatively insure that disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation, and they will not be discriminated against on the grounds of race, color, sex, or national origin in consideration for an award.

APPRENTICE REQUIREMENTS. As a condition of performing work on all proposals hereinafter described in this advertisement, each contractor or subcontractor agrees to employ apprentices as set forth in the bidding proposals and pursuant to Executive Order #108.

AFFIDAVIT OF NON-COLLUSION. Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express™ on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

QUALIFICATIONS OF BIDDERS. Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than five days prior to the time set for submitting bidding proposals on a form furnished by the Department. The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

For Proposal Number 24 ONLY, bidder prequalification is not required; however, prior to issuing a bidding proposal or awarding a contract, the Department may require the bidder to produce evidence that they have performed work of a similar character in a satisfactory manner. Bidders **MUST** obtain a bidding proposal as hereinbefore-discussed under **BIDDING PROPOSALS.**

SUMMARY SHEET

For your convenience, a summary sheet has been compiled to list the jobs under their classifications.

GENERAL CONSTRUCTION (Prequalification Rating Applicable)

2, 6, 7, 8, 9, 10, 11, 12, 13, 14, 16, 17, 18, 19, 20, 21, 22, 23, 25, 26, 27, 28, 29, 30, 31, 32, 34, 35, 46, 47

GRADING (Prequalification Rating Applicable)

CONCRETE PAVEMENT (Prequalification Rating Applicable)

10, 11, 13, 15, 30, 31

ASPHALTIC PAVEMENT (Prequalification Rating Applicable)

2, 3, 4, 5, 6, 12, 14, 16, 18, 19, 21, 22, 26, 28, 29, 34, 37, 38, 39, 42, 44, 45, 47

STRUCTURES (Prequalification Rating Applicable)

17, 32, 41, 43, 46

BRIDGE PAINTING (Prequalification Rating Applicable)

BUILDING CONSTRUCTION

24*

INCIDENTAL CONSTRUCTION (Prequalification Rating Applicable)

7, 19, 20, 24*, 27, 31

*** Prequalification WAIVED for this Proposal ONLY**

1. DEFERRED

2. Town of Turtle, Townline Road, CTH G to CTH J; Town of Beloit, Inman Parkway, USH 51 to CTH G; Town of Beloit, Cranston Road, USH 51 to Dewey Avenue; Rock County; 3621-00-75, WISC 2010 172; 5989-00-74, WISC 2010 178; 5989-03-71, WISC 2010 179; Town Roads; 4.031 Miles; Grade, Base, Pulverize and Relay, Concrete Pavement Repair, Asphalt Pavement, Culvert Pipes, Curb and Gutter, Sidewalk, Signs, Pavement Marking, and Base Patching Asphaltic.

Guaranty Required \$40,000.00

Estimate of Principal Items: Excavation Common, 250 CY; Base Aggregate Dense, 1,480 Ton; Pavement Marking Epoxy, 35,407 LF; Construction Staking, 21,577 LF; Construction Staking, 8 Each; Construction Staking, 4 LS; Incentive Density HMA Pavement, 6,395 Dol; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 320 LF 14" X 23", 176 LF 19" X 30"; Concrete Curb and Gutter, 132 LF; Concrete Sidewalk, 840 SF; HMA Pavement Type E-1, 9,980 Ton; Tack Coat, 1,380 Gals; Asphaltic Material, 600 Ton; Pulverize and Relay, 30,740 SY; Concrete Driveway, 2 SY; Drilled Tie Bars, 283 Each; Drilled Dowel Bars, 416 Each; Concrete Pavement Partial Depth Repair Joint Repair, 218 LF, Crack Repair, 112 LF; Concrete Pavement Partial Depth Repair Surface Repair, 20 SF, Edge Repair, 621 LF, Full Depth Adjustment, 200 SF; Concrete Pavement Repair SHES, 127 SY; Concrete Pavement Replacement SHES, 400 SY; Signs, 264 SF; Loop Detector Conduit, 353 LF; Loop Detector Wire, 1,162 LF; Base Patching Asphaltic, 97 SY.

DBE Goal: 5 %

Contract Completion Date: July 30, 2010

For further information, contact: Mike Zeisler, (608) 243-6476.

3. City of Juneau, East Oak Grove Street, Main Street (STH 26) to CTH M; Dodge County; 3899-00-70, WISC 2010 173; CTH DJ; 0.687 Miles; Mill, Grade, Base, Asphalt Pavement, and Pavement Marking.

Guaranty Required \$20,000.00

Estimate of Principal Items: Excavation Common, 575 CY; Base Aggregate Dense, 1,150 Ton; Pavement Marking Epoxy, 5,360 LF; Construction Staking, 3,625 LF; Incentive Density HMA Pavement, 2,400 Dol; HMA Pavement Type E-1, 3,755 Ton; Removing Asphaltic Surface Milling, 16,380 SY; Tack Coat, 410 Gals; Asphaltic Material, 210 Ton.

DBE Goal: 4 %

Contract Completion Time: 20 Working Days

For further information, contact: Mike Zeisler, (608) 243-6476.

4. STH 80 - Vernon County Line, STH 80 - Yuba; Rockbridge - Lafarge, CTH H - CTH A; Richland County; 5040-00-70, WISC 2010 174; 5449-00-70, WISC 2010 175; CTH C; CTH D; 10.313 Miles; Base, Pavement Markings, Beam Guard, Asphalt Pavement, Shaping Shoulders, Pulverize and Relay, Fence Safety, and Signs.

Guaranty Required \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 10,000 Ton; Pavement Marking Epoxy, 212,650 LF; Construction Staking, 54,450 LF; Construction Staking, 2 LS; Incentive Density HMA Pavement, 18,250 Dol; Incentive IRI Ride, 41,250 Dol; Steel Plate Beam Guard, 1,739 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 35 Each; HMA Pavement Type E-0.3, 28,500 Ton; Tack Coat, 3,650 Gals; Asphaltic Material, 1,720 Ton; Shaping Shoulders, 1,089 Sta; Pulverize and Relay, 137,200 SY; Fence Safety, 1,000 LF; Signs, 743 SF.

DBE Goal: 9 %

Contract Completion Time: 45 Working Days

For further information, contact: Mike Zeisler, (608) 243-6476.

5. Monroe County Line - New Lisbon, Krypton Road - Leer Street; Juneau County; 5880-00-73, WISC 2010 176; CTH A; 6.540 Miles; Base, Milling, Asphalt Pavement, Pulverize and Relay, Pavement Markings, Beam Guard, Concrete Driveway, and Signs.

Guaranty Required \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 6,900 Ton; Pavement Marking Epoxy, 94,180 LF; Construction Staking, 34,470 LF; Incentive Density HMA Pavement, 14,135 Dol; Incentive IRI Ride, 26,120 Dol; Steel Plate Beam Guard, 195 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 350 Ton; HMA Pavement Type E-1, 22,070 Ton; Removing Asphaltic Surface Milling, 12,000 SY; Tack Coat, 2,500 Gals; Asphaltic Material, 1,230 Ton; Pulverize and Relay, 90,300 SY; Concrete Driveway, 75 SY; Signs, 673 SF.

DBE Goal: 6 %

Contract Completion Time: 25 Working Days

For further information, contact: Mike Zeisler, (608) 243-6476.

6. City of Evansville, North 4th Street and West Main Street, 5th Street - 1st Street; Rock County; 5960-00-70, WISC 2010 177; CTH C; 0.816 Miles; Mill, Grade, Pulverize and Relay, Asphalt Pavement, Base, Curb and Gutter, Sidewalk, Storm Sewer, and Pavement Marking.

Guaranty Required \$20,000.00

Estimate of Principal Items: Excavation Common, 1,045 CY; Base Aggregate Dense, 750 Ton; Pavement Marking Epoxy, 9,144 LF; Construction Staking, 4,203 LF; Construction Staking, 14 Each; Construction Staking, 1 LS; Incentive Density HMA Pavement, 2,390 Dol; Storm Sewer Pipe Reinforced Concrete, 165 LF 12", 24 LF 15"; Concrete Curb and Gutter, 1,865 LF; Concrete Sidewalk, 7,570 SF; HMA Pavement Type E-1, 3,226 Ton, Type E-3, 479 Ton; Removing Asphaltic Surface Milling, 7,519 SY; Tack Coat, 438 Gals; Asphaltic Material, 222 Ton; Pulverize and Relay, 9,389 SY; Concrete Storm Sewer Trench Patch, 59 SY.

DBE Goal: 8 %

Contract Completion Date: July 1, 2010

For further information, contact: Mike Zeisler, (608) 243-6476.

7. Mormon Coulee Road Bike Path Improvements, Calvert Road to Sunnyside Drive; La Crosse County; 5991-05-14, WISC 2010 180; STH 35; 0.475 Miles; Grade, Base, Asphalt Surface, Modular Block Wall, Curb and Gutter, Sidewalk, Signs, Pavement Marking, and Protective Railing.

Guaranty Required \$20,000.00

Estimate of Principal Items: Excavation Common, 1,195 CY; Borrow, 4,240 CY; Selected Borrow, 365 CY; Base Aggregate Dense, 1,620 Ton; Pavement Marking Epoxy, 5,968 LF; Construction Staking, 7,743 LF; Construction Staking, 1 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 12 LF 12"; Concrete Curb and Gutter, 406 LF; Concrete Sidewalk, 820 SF; Asphaltic Surface, 370 Ton; Wall Modular Block Gravity, 3,520 SF; Signs, 214 SF; Flashing Beacon System, 2 Each; Protective Railing, 1,490 LF; Limestone Screenings, 80 Ton.

DBE Goal: 8 %

Contract Completion Date: August 20, 2010

For further information, contact: Mike Zeisler, (608) 243-6476.

8. City of Madison, University Avenue, Segoe Road to Shorewood Boulevard; City of Madison, University Avenue, Segoe Road to Shorewood Boulevard; City of Madison, University Avenue, Segoe Road to Shorewood Boulevard; Dane County; 5992-08-40; 5992-08-41; 5992-08-80, WISC 2010 181; CTH MS; 0.732 Miles; Grade, Base, Asphalt Pavement, Curb and Gutter, Sidewalk, Storm Sewer, Signs, Pavement Marking, Traffic Signals, Lighting, Sanitary Sewer, Water Main, and Storm Sewer Box Precast 12' X 4'.

Guaranty Required \$100,000.00

Estimate of Principal Items: Excavation Common, 45,600 CY; Backfill Structure, 55 CY; Base Aggregate Dense, 76,100 Ton; Concrete Masonry Culverts HES, 26 CY; Bar Steel Reinforcement, 6,080 Lbs; Pavement Marking Epoxy, 19,576 LF; Construction Staking, 34,047 LF; Construction Staking, 101 Each; Construction Staking, 2 LS; Incentive Strength Concrete Structure, 500 Dol; Storm Sewer Pipe Reinforced Concrete, 1,141 LF 12", 219 LF 24", 38 LF 42", 253 LF 15", 48 LF 30", 214 LF 18", 1,337 LF 36"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 8 LF 29" X 45", 369 LF 34" X 53"; Concrete Curb and Gutter, 16,506 LF; Concrete Sidewalk, 12,400 SF; Asphaltic Surface, 795 Ton; HMA Pavement Type E-10 Special, 16,000 Ton; Tack Coat, 2,300 Gals; Asphaltic Material, 965 Ton; Select Fill for Water Main, 6,420 LF; Washed Stone 3/4-Inch, 2,630 LF; Sanitary Sewer Pipe, 110 LF 8", 495 LF 10", 400 LF 12", 125 LF 15"; Select Fill for Sanitary Sewer Pipe, 1,130 LF; Sanitary Sewer Lateral, 160 LF; Concrete Driveway, 610 SY; Concrete Median Nose, 930 SF; Signs, 23 SF; Conduit, 13,840 LF; Traffic Signal Cable, 5,675 LF; Electrical Wire, 25,650 LF; Nema-Plus Conflict Monitor, 3 Each; Gate Valves, 44 Each; Hydrants, 16 Each; Water Main and Fittings, 620 LF 6", 600 LF 8", 33 LF 10", 282 LF 12", 4,110 LF 16"; Water Service Pipe, 180 LF 4", 105 LF 6", 220 LF 8"; Storm Sewer Box Precast Reinforced Concrete 12' X 4', 2,013 LF; Loop Detector Lead-In Cable, 4,400 LF; Opticom Signal Preempt, 1 Lump Sum; Architectural Concrete Pavement, 765 SY.

DBE Goal: 10 %

Contract Completion Date: October 1, 2010

For further information, contact: Mike Zeisler, (608) 243-6476.

9. City of Beaver Dam, Madison Street and N. University Avenue, Rowell Street to Curie Street and Gould Street to Parallel Street; Dodge County; 6080-00-77, WISC 2010 182; Local Street; 1.118 Miles; Mill, Grade, Storm Sewer, Base, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Signs, Lighting, and Pavement Marking.

Guaranty Required \$75,000.00

Estimate of Principal Items: Excavation Common, 4,049 CY; Base Aggregate Dense, 5,800 Ton; Concrete Pavement, 9,005 SY; Pavement Marking Epoxy, 1,467 LF; Construction Staking, 13,014 LF; Construction Staking, 40 Each; Construction Staking, 2 LS; Incentive Strength Concrete Pavement, 2,702 Dol; Incentive Density HMA Pavement, 1,110 Dol; Storm Sewer Pipe Reinforced Concrete, 845 LF 12", 562 LF 24", 369 LF 15", 45 LF 18"; Concrete Curb, 286 LF; Concrete Curb and Gutter, 4,780 LF; Concrete Sidewalk, 2,708 SF; HMA Pavement Type E-1, 1,735 Ton; Removing Asphaltic Surface Milling, 15,065 SY; Tack Coat, 754 Gals; Asphaltic Material, 96 Ton; Concrete Driveway, 454 SY; Signs, 219 SF; Conduit, 2,436 LF; Electrical Wire, 11,209 LF; Poles, 13 Each; Pavement Fabric, 15,100 SY.

DBE Goal: 11 %

Contract Completion Date: September 2, 2010

For further information, contact: Mike Zeisler, (608) 243-6476.

10. West Winnebago Street, N. 8th Street to N. 7th Street; Milwaukee County; 2057-01-70, WISC 2010 183; Local Street; 0.117 Miles; Grade, Base, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Storm Sewer, Planting Trees, and Pavement Marking.

Guaranty Required \$40,000.00

Estimate of Principal Items: Excavation Common, 4,642 CY; Borrow, 3,866 CY; Selected Borrow, 520 CY; Base Aggregate Dense, 3,592 Ton; Concrete Pavement, 5,336 SY; Pavement Marking Wet Reflective Tape, 525 LF; Pavement Marking Epoxy, 1,385 LF; Construction Staking, 6,367 LF; Construction Staking, 21 Each; Incentive Strength Concrete Pavement, 1,760 Dol; Incentive Density HMA Pavement, 160 Dol; Concrete Curb, 443 LF; Concrete Curb and Gutter, 3,434 LF; Concrete Sidewalk, 13,576 SF; HMA Pavement Type E-1, 250 Ton; Tack Coat, 44 Gals; Asphaltic Material, 16 Ton; Excavation Hauling and Disposal of Petroleum Contaminated Soil, 2,000 Ton; Excavation and Temporary On-Site Storage of Hazardous Lead-Contaminated Fill Material, 50 Ton; Concrete Base, 527 SY; Storm Sewer Pipe PVC 8-Inch, 495 LF; Chain Link Fence, 246 LF; Concrete Median Nose, 226 SF; Trees, 5 Each; Shrubs, 50 Each; Little Bluestem, 2,664 Each; Pavement Marking Special Grooved Preformed Thermoplastic, 970 LF; 6-Duct Cement Encased Rigid Nonmetallic Conduit, 465 LF; Cobblestone, 4,739 SF; Select Stone Materials, 120 Ton.

DBE Goal: 15 %

Contract Completion Date: August 31, 2010

For further information, contact: Joe Klarkowski, (414) 935-4410.

11. East / West Keefe Avenue, N. 7th Street to N. Humboldt Avenue; Milwaukee County; 2059-00-71, WISC 2010 184; Local; 0.000 Miles; Grade, Base, Asphalt Pavement, Concrete Pavement, Storm Sewer, Curb and Gutter, Sidewalk, Lighting, Signals, Landscaping, and Pavement Marking.

Guaranty Required \$75,000.00

Estimate of Principal Items: Excavation Common, 18,437 CY; Selected Borrow, 2,210 CY; Base Aggregate Dense, 18,582 Ton; Concrete Pavement, 30,695 SY; Pavement Marking Epoxy, 6,494 LF; Construction Staking, 30,136 LF; Construction Staking, 73 Each; Incentive Strength Concrete Pavement, 8,894 Dol; Concrete Curb, 335 LF; Concrete Curb and Gutter, 11,744 LF; Concrete Sidewalk, 76,515 SF; Asphaltic Surface, 799 Ton; Storm Sewer Pipe, 1,681 LF; Trees, 10 Each; Conduit, 20,964 LF; Street Lighting Polymer Concrete Vaults, 184 Each.

DBE Goal: 20 %

Contract Completion Date: November 15, 2010

For further information, contact: Joe Klarkowski, (414) 935-4410.

12. West Grange Avenue, S. 108th Street to S. 92nd Street; Milwaukee County; 2365-03-70, WISC 2010 185; Local; 0.000 Miles; Pulverize and Relay, Grade, Base, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Culvert Pipe, Storm Sewer, Sanitary, Utilities, Signing, and Pavement Marking.

Guaranty Required \$40,000.00

Estimate of Principal Items: Excavation Common, 2,500 CY; Base Aggregate Dense, 2,950 Ton; Select Crushed Material, 1,800 Ton; Concrete Pavement, 60 SY; Pavement Marking Epoxy, 17,140 LF; Construction Staking, 8,975 LF; Construction Staking, 35 Each; Construction Staking, 1 LS; Incentive Density HMA Pavement, 2,700 Dol; Pipe Arch Corrugated Steel, 28 LF 17" X 13", 603 LF 14" X 9"; Culvert Pipe Corrugated Steel, 138 LF 12", 49 LF 18"; Culvert Pipe Corrugated Polyethylene, 298 LF 12", 347 LF 18"; Storm Sewer Pipe Reinforced Concrete, 41 LF 12"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 214 LF 14" X 23"; Concrete Curb and Gutter, 425 LF; Asphaltic Surface, 520 Ton; HMA Pavement Type E-1, 4,200 Ton; Tack Coat, 500 Gals; Asphaltic Material, 270 Ton; Pulverize and Relay, 15,200 SY; Signs, 131 SF.

DBE Goal: 15 %

Contract Completion Time: 25 Working Days

For further information, contact: Joe Klarkowski, (414) 935-4410.

13. East / West North Avenue, N. Dr. Martin Luther King Jr. Drive to N. Booth Street; Milwaukee County; 2445-00-70, WISC 2010 186; Local Street; 0.584 Miles; Grade, Base, Concrete Pavement, Pavement Markings, Storm Sewer, Curb and Gutter, Sidewalk, Asphalt Pavement, Concrete Driveway, Communication Conduit, Street Lighting, and Traffic Signals.

Guaranty Required \$75,000.00

Estimate of Principal Items: Excavation Common, 11,347 CY; Selected Borrow, 1,300 CY; Base Aggregate Dense, 10,284 Ton; Concrete Pavement, 16,177 SY; Pavement Marking Epoxy, 12,014 LF; Construction Staking, 6,752 LF; Construction Staking, 42 Each; Incentive Strength Concrete Pavement, 4,854 Dol; Storm Sewer Pipe Reinforced Concrete, 339 LF 12"; Concrete Curb, 78 LF; Concrete Curb and Gutter, 6,014 LF; Concrete Sidewalk, 30,988 SF; Asphaltic Surface, 79 Ton; Excavation Hauling and Disposal of Contaminated Soil, 270 Ton; Concrete Driveway, 572 SY; Storm Sewer Pipe, 358 LF; Trees, 16 Each; Conduit, 10,380 LF; Cable and Wire, 2,250 LF; Duct Conduit Cement Encased, 3,094 LF; Concrete Crosswalk, 226 SY.

DBE Goal: 20 %

Contract Completion Date: August 31, 2010

For further information, contact: Joe Klarkowski, (414) 935-4410.

14. Hampton Avenue, Green Bay Avenue to IH 43; Estabrook Park Drive, Capitol Drive to Hampton Avenue; Milwaukee County; 2545-00-70, WISC 2010 187; 2991-00-71, WISC 2010 197; Local; 0.000 Miles; Grade, Base, Asphalt Pavement, Concrete Pavement, Curb and Gutter, Sidewalk, Storm Sewer, Signing, Lighting, and Pavement Marking.

Guaranty Required \$75,000.00

Estimate of Principal Items: Excavation Common, 12,109 CY; Backfill Granular, 400 CY; Base Aggregate Dense, 13,639 Ton; Concrete Pavement, 506 SY; Pavement Marking Epoxy, 13,922 LF; Construction Staking, 38,603 LF; Construction Staking, 12 Each; Incentive Strength Concrete Pavement, 500 Dol; Incentive Density HMA Pavement, 3,513 Dol; Storm Sewer Pipe Reinforced Concrete, 48 LF 12", 3 LF 15", 34 LF 18", 6 LF 24"; Concrete Curb and Gutter, 18,973 LF; Concrete Sidewalk, 421 SF; Asphaltic Surface, 47 Ton; HMA Pavement Type E-1, 10,224 Ton; Tack Coat, 1,270 Gals; Asphaltic Material, 560 Ton; Signs, 428 SF.

DBE Goal: 25 %

Contract Completion Date: November 15, 2010

For further information, contact: Joe Klarkowski, (414) 935-4410.

15. 15th Avenue, Rawson Avenue to College Avenue; Milwaukee County; 2659-00-70, WISC 2010 188; Local; 0.000 Miles; Grade, Base, Concrete Pavement, Storm Sewer, Curb and Gutter, Sidewalk, Signals, Signing, and Pavement Marking.

Guaranty Required \$40,000.00

Estimate of Principal Items: Excavation Common, 527 CY; Base Aggregate Dense, 2,130 Ton; Concrete Pavement, 16,216 SY; Pavement Marking Epoxy, 6,903 LF; Pavement Marking Paint, 1,135 LF; Construction Staking, 17,974 LF; Construction Staking, 1 Each; Incentive Strength Concrete Pavement, 4,864 Dol; Storm Sewer Pipe Reinforced Concrete, 22 LF 12"; Concrete Curb, 516 LF; Concrete Curb and Gutter, 3,037 LF; Concrete Sidewalk, 6,469 SF; Signs, 45 SF.

DBE Goal: 21 %

Contract Completion Date: August 20, 2010

For further information, contact: Joe Klarkowski, (414) 935-4410.

16. North Green Bay Road, Cedar Creek Road - Cedar Sauk Road; Ozaukee County; 2696-00-72, WISC 2010 189; Local; 0.000 Miles; Rubbilizing, Grade, Base, Culvert Pipe, Storm Sewer, Salvaged Asphalt Pavement, Asphalt Pavement, Beam Guard, Signs, and Pavement Marking.

Guaranty Required \$40,000.00

Estimate of Principal Items: Excavation Common, 324 CY; Borrow, 2,754 CY; Base Aggregate Dense, 2,260 Ton; Pavement Marking Epoxy, 37,100 LF; Construction Staking, 23,004 LF; Construction Staking, 28 Each; Construction Staking, 1 LS; Incentive Density HMA Pavement, 5,780 Dol; Culvert Pipe Corrugated Steel, 12 LF 12", 212 LF 15", 34 LF 18", 4 LF 24", 10 LF 36"; Culvert Pipe Reinforced Concrete, 26 LF 30"; Storm Sewer Pipe Reinforced Concrete, 155 LF 30" Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 24 LF 24" X 38"; Steel Plate Beam Guard, 950 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 65 Ton; HMA Pavement Type E-1, 9,020 Ton; Salvaged Asphaltic Pavement, 10,850 SY; Tack Coat, 2,290 Gals; Asphaltic Material, 495 Ton; Rubbilizing, 10,150 SY; Riprap, 20 CY; Signs, 269 SF.

DBE Goal: 18 %

Contract Completion Time: 45 Working Days

For further information, contact: Joe Klarkowski, (414) 935-4410.

17. 38th Street Bridge Over Kilbourn Road Ditch; Kenosha County; 2704-00-70, WISC 2010 190; Local; 0.000 Miles; Grade, Base, Concrete Pavement, Curb and Gutter, Sidewalk, Beam Guard, Storm Sewer, Sanitary Sewer, Pavement Marking, Signing, and Structure B-30-120.

Guaranty Required \$75,000.00

Estimate of Principal Items: Excavation Common, 1,558 CY; Borrow, 4,080 CY; Backfill Structure, 300 CY; Base Aggregate Dense, 628 Ton; Concrete Pavement, 3,333 SY; Concrete Masonry Bridges, 380 CY; Bar Steel Reinforcement, 11,032 Lbs; Bar Steel Reinforcement Coated, 54,858 Lbs; Piling CIP Concrete, 1,620 LF 14-Inch; Pavement Marking Epoxy, 3,330 LF; Construction Staking, 2,204 LF; Construction Staking, 14 Each; Construction Staking, 1 LS; Incentive Strength Concrete Pavement, 1,000 Dol; Incentive Strength Concrete Structure, 3,200 Dol; Storm Sewer Pipe Reinforced Concrete, 259 LF 12", 215 LF 24"; Concrete Curb and Gutter, 1,489 LF; Concrete Sidewalk, 564 SF; Steel Plate Beam Guard, 42 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Salvaged Asphaltic Pavement, 620 CY; Cofferdams, 1 LS; Railing Tubular Type H, 1 LS; Riprap, 384 CY; Signs, 26 SF; 24" Sanitary Sewer PVC SDR 26, 180 LF.

DBE Goal: 17 %

Contract Completion Date: December 1, 2010

For further information, contact: Joe Klarkowski, (414) 935-4410.

18. Decora Road, 18th Avenue to S. Main Street; 7th Avenue, Vine Street to Hawthorn Drive; Indiana Avenue, Oak Street to Washington Street (STH 33); Vine Street, 7th Avenue to S. Main Street; Park Avenue, Wildwood Road – Marshal Court; Jefferson Street, Green Tree Road to N. Main Street; Washington County; 2707-00-73, WISC 2010 191; 2707-00-74, WISC 2010 192; 2707-00-75, WISC 2010 193; 2707-00-76, WISC 2010 194; 2707-00-77, WISC 2010 195; 2707-00-78, WISC 2010 196; Local Streets; 2.763 Miles; Base, Asphalt Pavement, Milling, Curb and Gutter, Sidewalk, Concrete Driveway, and Pavement Markings.

Guaranty Required \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 214 Ton; Pavement Marking Paint, 22,770 LF; Construction Staking, 14,485 LF; Incentive Density HMA Pavement, 6,830 Dol; Concrete Curb and Gutter, 4,363 LF; Concrete Sidewalk, 6,670 SF; HMA Pavement Type E-1, 10,070 Ton; Removing Asphaltic Surface Milling, 28,950 SY; Tack Coat, 3,215 Gals; Asphaltic Material, 650 Ton; Concrete Driveway, 124 SY.

DBE Goal: 20 %

Contract Completion Date: October 1, 2010

For further information, contact: Joe Klarkowski, (414) 935-4410.

19. 30th Avenue, 89th Street - 80th Street; 80th Street, 39th Avenue to 30th Avenue; Kenosha County; 3726-00-71, WISC 2010 198; 3831-00-70, WISC 2010 201; Local; 0.000 Miles; Rubbilizing, Base, Curb and Gutter, Sidewalk, Asphalt Pavement, Concrete Pavement, Signals, Pavement Marking, and Signing.

Guaranty Required \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 1,110 Ton; Concrete Pavement, 4,250 SY; Pavement Marking Epoxy, 35,125 LF; Construction Staking, 2 LS; Incentive Density HMA Pavement, 11,350 Dol; Concrete Curb and Gutter, 380 LF; Concrete Sidewalk, 49,935 SF; Asphaltic Surface, 5 Ton; HMA Pavement Type E-1, 11,350 Ton; Tack Coat, 1,270 Gals; Asphaltic Material, 675 Ton; Rubbilizing, 48,360 SY; Signs, 16 SF.

DBE Goal: 20 %

Contract Completion Date: September 3, 2010

For further information, contact: Joe Klarkowski, (414) 935-4410.

20. STH 83 Ped Access, 81st Street to 1,000' North of 81st Street; Kenosha County; 3828-02-70, WISC 2010 199; Non-Highway; 0.000 Miles; Grade, Base, Culvert Pipe, Storm Sewer, Sanitary Sewer, Asphalt Pavement, Concrete Pavement, Curb and Gutter, Sidewalk, Landscaping, Pavement Marking, and Cast In Place Gravity Retaining Wall.

Guaranty Required \$20,000.00

Estimate of Principal Items: Excavation Common, 208 CY; Borrow, 799 CY; Backfill Structure, 12 CY; Base Aggregate Dense, 260 Ton; Select Crushed Material, 45 Ton; Concrete Pavement, 93 SY; Concrete Masonry Retaining Walls, 9 CY; Bar Steel Reinforcement Coated, 590 Lbs; Pavement Marking Epoxy, 210 LF; Construction Staking, 1,596 LF; Construction Staking, 8 Each; Construction Staking, 2 LS; Incentive Strength Concrete Structure, 500 Dol; Culvert Pipe Corrugated Steel, 30 LF 12"; Storm Sewer Pipe Reinforced Concrete, 53 LF 12", 152 LF 15", 15 LF 30"; Concrete Curb and Gutter, 936 LF; Concrete Sidewalk, 6,650 SF; HMA Pavement Type E-3, 75 Ton; Tack Coat, 12 Gals; Asphaltic Material, 5 Ton; Pipe Railing, 1 LS; Riprap, 4 CY; Trees, 4 Each.

DBE Goal: 25 %

Contract Completion Time: 30 Working Days

For further information, contact: Joe Klarkowski, (414) 935-4410.

21. Cooper Road (51st Avenue), 93rd Street to 85th Street; Kenosha County; 3830-00-71, WISC 2010 200; Local; 0.000 Miles; Pulverize and Relay, Grade, Base, Concrete Pavement, Asphalt Pavement, Signs, and Pavement Marking.

Guaranty Required \$20,000.00

Estimate of Principal Items: Excavation Common, 2,300 CY; Base Aggregate Dense, 1,725 Ton; Select Crushed Material, 2,300 Ton; Concrete Pavement, 24 SY; Pavement Marking Epoxy, 17,270 LF; Construction Staking, 4,500 LF; Incentive Density HMA Pavement, 2,662 Dol; Asphaltic Surface, 450 Ton; HMA Pavement Type E-0.3, 4,160 Ton; Tack Coat, 450 Gals; Asphaltic Material, 250 Ton; Pulverize and Relay, 11,300 SY; Signs, 46 SF.

DBE Goal: 10 %

Contract Completion Time: 20 Working Days

For further information, contact: Joe Klarkowski, (414) 935-4410.

22. Kane Street, Market Street to State Street; Racine County; 3834-00-71, WISC 2010 202; Local; 0.000 Miles; Salvaged Asphalt Pavement, Grade, Base, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Storm Sewer, and Pavement Marking.

Guaranty Required \$20,000.00

Estimate of Principal Items: Excavation Common, 100 CY; Backfill Granular, 80 CY; Base Aggregate Dense, 65 Ton; Breaker Run, 100 Ton; Concrete Pavement, 130 SY; Pavement Marking Epoxy, 440 LF; Construction Staking, 2,540 LF; Construction Staking, 5 Each; Incentive Density HMA Pavement, 1,856 Dol; Storm Sewer Pipe Reinforced Concrete, 60 LF 12", 29 LF 15"; Concrete Curb, 92 LF; Concrete Curb and Gutter, 1,051 LF; Concrete Sidewalk, 480 SF; Asphaltic Surface, 16 Ton; HMA Pavement Type E-1, 2,900 Ton; Salvaged Asphaltic Pavement, 11,200 SY; Tack Coat, 310 Gals; Asphaltic Material, 175 Ton.

DBE Goal: 17 %

Contract Completion Time: 60 Working Days

For further information, contact: Joe Klarkowski, (414) 935-4410.

23. City of Burlington, Various Streets, Market Street, Pine Street, Dodge Street; City of Burlington, Various Streets, Grove Street, Oak Street, Briody Street; Racine County; 3834-01-70, WISC 2010 203; 3834-02-71, WISC 2010 204; Local; 0.000 Miles; Grade, Base, Storm Sewer, Concrete Pavement, Salvaged Asphalt Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Signals, and Pavement Marking.

Guaranty Required \$40,000.00

Estimate of Principal Items: Excavation Common, 180 CY; Backfill Granular, 12 CY; Base Aggregate Dense, 245 Ton; Breaker Run, 100 Ton; Concrete Pavement, 6,284 SY; Pavement Marking Epoxy, 3,900 LF; Construction Staking, 2,700 LF; Construction Staking, 1 Each; Incentive Strength Concrete Pavement, 1,787 Dol; Storm Sewer Pipe Reinforced Concrete, 15 LF 12"; Concrete Curb, 94 LF; Concrete Curb and Gutter, 2,950 LF; Concrete Sidewalk, 315 SF; Asphaltic Surface, 108 Ton; HMA Pavement Type E-1, 3,135 Ton; Salvaged Asphaltic Pavement, 11,000 SY; Tack Coat, 308 Gals; Asphaltic Material, 189 Ton; Concrete Pavement Partial Depth Repair Surface Repair, 766 SF.

DBE Goal: 25 %

Contract Completion Time: 60 Working Days

For further information, contact: Joe Klarkowski, (414) 935-4410.

24. Rehabilitate Lock Keeper Houses, Fox River Navigation System; Outagamie County; 4984-01-67, WISC 2010 205; Non-Highway; 0.000 Miles; Rehabilitate Lock Keeper House.

Guaranty Required \$40,000.00

Estimate of Principal Items: Abatement and Renovation of Lock Keeper House, 8 LS.

DBE Goal: DISC

Contract Completion Date: September 30, 2010

***** MANDATORY PRE-BID MEETING *****

DATE: February 3, 2010

TIME: 9 AM

LOCATION: Appleton Lock 1 House
Olde Oneida Street
Appleton, WI

NOTE: No Meeting Minutes Will Be Prepared. Issues Discovered At The Meeting Will Be Handled By Addendum.

For further information, contact: Jill Treadway, (920) 468-4771.

25. Village of Little Chute, Washington Street, STH 96 - Wisconsin Central Ltd. RR; Outagamie County; 4984-01-69, WISC 2010 206; Local Street; 0.142 Miles; Grade, Base, Concrete Pavement, Asphalt Pavement, Storm Sewer, Beam Guard, Pavement Markings, Curb and Gutter, Sidewalk, Concrete Driveway, and Concrete Median Nose.

Guaranty Required \$20,000.00

Estimate of Principal Items: Excavation Common, 2,176 CY; Base Aggregate Dense, 1,941 Ton; Select Crushed Material, 2,971 Ton; Concrete Pavement, 2,253 SY; Pavement Marking Epoxy, 2,198 LF; Construction Staking, 2,946 LF; Construction Staking, 5 Each; Construction Staking, 1 LS; Incentive Strength Concrete Pavement, 676 Dol; Incentive Density HMA Pavement, 170 Dol; Storm Sewer Pipe Reinforced Concrete, 76 LF 12", 44 LF 18", 32 LF 24"; Concrete Curb and Gutter, 1,881 LF; Concrete Sidewalk, 2,843 SF; Steel Plate Beam Guard, 429 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 3 Each; Asphaltic Surface, 90 Ton; HMA Pavement Type E-3, 263 Ton; Tack Coat, 20 Gals; Asphaltic Material, 16 Ton; Concrete Driveway, 128 SY; Salvaged Chain Link Fence, 142 LF; Concrete Median Sloped Nose, 132 SF; Signs, 26 SF; Storm Sewer PVC 12-Inch, 6 LF; Joint Sealing, 2,253 SY.

DBE Goal: 7 %

Contract Completion Time: 35 Working Days

For further information, contact: Jill Treadway, (920) 468-4771.

26. Fox River Recreational Trail, Rockland Road - Midway Road; Brown County; 4985-00-45, WISC 2010 207; Non-Highway; 2.021 Miles; Base, Asphalt Pavement, Culvert Pipes, Pavement Markings, and Timber Railing.

Guaranty Required \$20,000.00

Estimate of Principal Items: Pavement Marking Epoxy, 2,694 LF; Construction Staking, 10,813 LF; Construction Staking, 5 Each; Construction Staking, 1 LS; Incentive Density HMA Pavement, 500 Dol; Culvert Pipe Corrugated Steel, 28 LF 18", 36 LF 36", 38 LF 24", 75 LF 30"; HMA Pavement Type E-0.3, 2,200 Ton; Asphaltic Material, 132 Ton; Treated Timber Railing, 1,828 LF; Base Aggregate Special, 2,050 Ton.

DBE Goal: 6 %

Contract Completion Date: June 30, 2010

For further information, contact: Jill Treadway, (920) 468-4771.

27. Verlin Road Bike Ped Facilities, Main Street - Bellevue Street; Brown County; 4987-02-71, WISC 2010 208; Non-Highway; 1.820 Miles; Grade, Base, Asphalt Paving, Curb and Gutter, Sidewalk, Pavement Marking, Concrete Driveway, Signs, and Railing Pipe.

Guaranty Required \$20,000.00

Estimate of Principal Items: Excavation Common, 2,205 CY; Base Aggregate Dense, 3,302 Ton; Pavement Marking Epoxy, 26,377 LF; Construction Staking, 28,789 LF; Construction Staking, 1 LS; Concrete Curb and Gutter, 1,015 LF; Concrete Sidewalk, 88,474 SF; Asphaltic Surface, 104 Ton; Concrete Driveway, 690 SY; Railing Pipe, 360 LF; Signs, 116 SF.

DBE Goal: 8 %

Contract Completion Date: October 1, 2010

For further information, contact: Jill Treadway, (920) 468-4771.

28. City of Menasha, Tayco Street, Third Street - Ninth Street; Winnebago County; 4992-00-48, WISC 2010 209; Local Street; 0.722 Miles; Grade, Base, Concrete Pavement, Pavement Markings, Curb and Gutter, Sidewalk, Asphalt Pavement, Pulverize and Relay, and Concrete Driveway.

Guaranty Required \$40,000.00

Estimate of Principal Items: Excavation Common, 4,500 CY; Base Aggregate Dense, 2,315 Ton; Concrete Pavement, 2,210 SY; Pavement Marking Epoxy, 4,200 LF; Construction Staking, 5,405 LF; Construction Staking, 1 LS; Incentive Strength Concrete Pavement, 665 Dol; Incentive Density HMA Pavement, 3,480 Dol; Concrete Curb and Gutter, 2,130 LF; Concrete Sidewalk, 2,160 SF; HMA Pavement Type E-1, 5,430 Ton; Tack Coat, 400 Gals; Asphaltic Material, 315 Ton; Pulverize and Relay, 14,960 SY; Concrete Driveway, 130 SY.

DBE Goal: 9 %

Contract Completion Time: 40 Working Days

For further information, contact: Jill Treadway, (920) 468-4771.

29. City of Oshkosh, Snell Road, Jackson Street - USH 41; Winnebago County; 4994-01-23, WISC 2010 210; Local Street; 0.998 Miles; Excavation, Base, Breaker Run, Asphalt Pavement, Pavement Markings, Pulverize and Relay, Loop Detectors, Full Depth Reclamation, and Foamed Asphalt Stabilizing Additive.

Guaranty Required \$40,000.00

Estimate of Principal Items: Excavation Common, 4,180 CY; Base Aggregate Dense, 5,860 Ton; Breaker Run, 3,680 Ton; Pavement Marking Epoxy, 12,319 LF; Construction Staking, 4,960 LF; Construction Staking, 2 LS; Incentive Density HMA Pavement, 2,780 Dol; Asphaltic Surface, 160 Ton; Tack Coat, 376 Gals; Asphaltic Material, 262 Ton; Pulverize and Relay, 12,790 SY; Conduit, 273 LF; Wire, 864 LF; Full Depth Reclamation, 12,790 SY; Foamed Asphalt Stabilizing Additive, 255 Ton.

DBE Goal: 4 %

Contract Completion Time: 25 Working Days

For further information, contact: Jill Treadway, (920) 468-4771.

30. City of Neenah, Wisconsin Avenue, Main Street - Commercial Street; Winnebago County; 4994-01-25, WISC 2010 211; Local Street; 0.140 Miles; Grade, Base, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, and Pavement Markings.

Guaranty Required \$20,000.00

Estimate of Principal Items: Excavation Common, 3,900 CY; Base Aggregate Dense, 2,900 Ton; Concrete Pavement, 5,646 SY; Pavement Marking Epoxy, 4,720 LF; Construction Staking, 1,554 LF; Construction Staking, 1 LS; Incentive Strength Concrete Pavement, 5,646 Dol; Incentive Density HMA Pavement, 600 Dol; Concrete Curb and Gutter, 1,674 LF; Concrete Sidewalk, 2,500 SF; HMA Pavement Type E-1, 35 Ton; Tack Coat, 5 Gals; Asphaltic Material, 2 Ton.

DBE Goal: 8 %

Contract Completion Date: July 9, 2010

For further information, contact: Jill Treadway, (920) 468-4771.

31. City of Sheboygan, Taylor Drive, Superior Avenue - Saemann Avenue; Sheboygan County; 4996-01-69, WISC 2010 212; Local; 0.000 Miles; Grade, Base, Concrete Pavement, Curb and Gutter, Sidewalk, Utilities, Storm Sewer, Signals, and Pavement Marking.

Guaranty Required \$75,000.00

Estimate of Principal Items: Excavation Common, 4,400 CY; Base Aggregate Dense, 4,000 Ton; Concrete Pavement, 7,920 SY; Pavement Marking Epoxy, 1,880 LF; Incentive Strength Concrete Pavement, 2,268 Dol; Storm Sewer Pipe Reinforced Concrete, 225 LF 15", 64 LF 18", 59 LF 24", 1,217 LF 48"; Concrete Sidewalk, 4,145 SF; Water Services, 432 LF; Sanitary Laterals, 356 LF.

DBE Goal: 10 %

Contract Completion Time: 50 Working Days

For further information, contact: Jill Treadway, (920) 468-4771.

32. Pensaukee River Bridge, 0.1 Miles N. Jct. Cty. SS; Pensaukee River Bridge, 0.2 Miles N. Jct. Cty. SS; Oconto County; 9129-11-71, WISC 2010 213; 9129-12-71, WISC 2010 214; Local; 0.000 Miles; Grade, Base, Asphalt Pavement, Concrete Pavement, Beam Guard, Signing, Pavement Marking, and Structures B-42-11 and B-42-12.

Guaranty Required \$40,000.00

Estimate of Principal Items: Excavation Common, 710 CY; Borrow, 1,715 CY; Backfill Structure, 430 CY; Base Aggregate Dense, 1,660 Ton; Concrete Pavement, 260 SY; Concrete Masonry Bridges, 336 CY; Bar Steel Reinforcement Coated, 71,500 Lbs; Pavement Marking Epoxy, 2,960 LF; Construction Staking, 1,614 LF; Construction Staking, 4 LS; Incentive Strength Concrete Pavement, 1,000 Dol; Incentive Strength Concrete Structure, 2,000 Dol; Steel Plate Beam Guard, 468 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement Type E-1, 380 Ton; Tack Coat, 42 Gals; Asphaltic Material, 23 Ton; Railing Tubular, 2 LS; Riprap, 700 CY; Signs, 24 SF.

DBE Goal: 9 %

Contract Completion Time: 50 Working Days

For further information, contact: Jill Treadway, (920) 468-4771.

33. DEFERRED

34. Cleveland Avenue, Pierce Avenue - Sixth Street; Hattie Street, Ella Court - Riverside Avenue; Hosmer Street, Main Street - Ogden Street; Marinette County; 9995-00-47, WISC 2010 215; 9995-00-49, WISC 2010 216; 9995-00-51, WISC 2010 217; Local Streets; 1.379 Miles; Grade, Base, Asphalt Pavement, Pavement Markings, Curb and Gutter, Sidewalk, and Concrete Driveway.

Guaranty Required \$40,000.00

Estimate of Principal Items: Excavation Common, 2,017 CY; Base Aggregate Dense, 3,130 Ton; Pavement Marking Epoxy, 6,523 LF; Construction Staking, 16,600 LF; Construction Staking, 3 LS; Incentive Density HMA Pavement, 5,410 Dol; Concrete Curb and Gutter, 14,885 LF; HMA Pavement Type E-3, 8,450 Ton; Tack Coat, 1,090 Gals; Asphaltic Material, 530 Ton; Concrete Driveway, 13 SY.

DBE Goal: 10 %

Contract Completion Date: July 23, 2010

For further information, contact: Jill Treadway, (920) 468-4771.

35. Marinette Mid City Bike and Ped Path, Ella - Riverside; Marinette County; 9995-00-53, WISC 2010 218; Non-Highway; 0.264 Miles; Grade, Base, Curb and Gutter, Sidewalk, Asphalt Pavement, Concrete Driveway, and Removing Railroad Ties.

Guaranty Required \$6,000.00

Estimate of Principal Items: Excavation Common, 250 CY; Backfill Granular, 346 CY; Base Aggregate Dense, 675 Ton; Construction Staking, 4,089 LF; Construction Staking, 1 LS; Incentive Density HMA Pavement, 110 Dol; Concrete Curb and Gutter, 31 LF; Concrete Sidewalk, 200 SF; HMA Pavement Type E-0.3, 170 Ton; Asphaltic Material, 11 Ton; Concrete Driveway, 20 SY; Removing Railroad Ties, 300 LF.

DBE Goal: 4 %

Contract Completion Time: 10 Working Days

For further information, contact: Jill Treadway, (920) 468-4771.

36. DEFERRED

37. Spring Valley - Menomonie, 370th Avenue to STH 29; Dunn County; 7882-00-70, WISC 2010 220; CTH P; 4.044 Miles; Pulverize and Relay, Asphalt Pavement, Base, Adjusting Beam Guard, Signs, and Pavement Marking.

Guaranty Required \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 4,290 Ton; Pavement Marking Epoxy, 83,465 LF; Construction Staking, 21,352 LF; Construction Staking, 1 LS; Incentive Density HMA Pavement, 11,360 Dol; Incentive IRI Ride, 16,160 Dol; Steel Plate Beam Guard Energy Absorbing Terminals, 12 Each; HMA Pavement Type E-1, 17,755 Ton; Tack Coat, 1,940 Gals; Asphaltic Material, 1,080 Ton; Pulverize and Relay, 76,740 SY; Adjusting Steel Plate Beam Guard, 2,030 LF; Signs, 31 SF.

DBE Goal: 7 %

Contract Completion Time: 30 Working Days

For further information, contact: Chris Ehlert, (715) 231-1600.

38. CTH PP - Elmwood, CTH PP to May Avenue; Pierce County; 7883-05-75, WISC 2010 221; CTH P; 1.640 Miles; Pulverize and Relay, Asphalt Pavement, Base, Curb and Gutter, Beam Guard, Signs, and Pavement Marking.

Guaranty Required \$40,000.00

Estimate of Principal Items: Base Aggregate Dense, 2,260 Ton; Pavement Marking Epoxy, 33,050 LF; Construction Staking, 8,660 LF; Construction Staking, 1 LS; Incentive IRI Ride, 6,560 Dol; Concrete Curb and Gutter, 43 LF; Steel Plate Beam Guard, 1,450 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 86 Ton; HMA Pavement Type E-1, 5,520 Ton; Tack Coat, 610 Gals; Asphaltic Material, 335 Ton; Pulverize and Relay, 25,400 SY; Signs, 144 SF.

DBE Goal: 6 %

Contract Completion Date: September 1, 2010

For further information, contact: Chris Ehlert, (715) 231-1600.

39. City of Menomonie, 3M Drive and 9th Street, Stokke Parkway to CTH B and 21st Avenue South to Crescent Street; Dunn County; 7996-00-80, WISC 2010 222; Local Street; 2.077 Miles; Grade, Base, Asphalt Pavement, Curb and Gutter, Sidewalk, Storm Sewer, and Pavement Marking.

Guaranty Required \$75,000.00

Estimate of Principal Items: Excavation Common, 14,100 CY; Base Aggregate Dense, 7,250 Ton; Pavement Marking Epoxy, 6,894 LF; Construction Staking, 21,936 LF; Construction Staking, 1 LS; Incentive Density HMA Pavement, 8,350 Dol; Storm Sewer Pipe Reinforced Concrete, 88 LF 12"; Concrete Curb and Gutter, 955 LF; Concrete Sidewalk, 3,350 SF; Asphaltic Surface, 1 Ton; HMA Pavement Type E-3, 13,040 Ton; Salvaged Asphaltic Pavement, 45,270 SY; Salvaged Asphaltic Pavement Base, 9,450 Ton; Tack Coat, 1,200 Gals; Asphaltic Material, 785 Ton.

DBE Goal: 7 %

Contract Completion Date: September 3, 2010

For further information, contact: Chris Ehlert, (715) 231-1600.

40. DEFERRED

41. Town of Wascott, Cheever Road, Ounce River Bridge, B-16-0128; Town of Wascott, East Coppermine Road, Ounce River Bridge, B-16-0129; Douglas County; 8396-00-70, WISC 2010 225; 8396-00-71, WISC 2010 226; Town Roads; 0.114 Miles; Grade, Base, Asphaltic Surface, and Structures B-16-128 and 129.

Guaranty Required \$20,000.00

Estimate of Principal Items: Excavation Common, 378 CY; Backfill Structure, 590 CY; Base Aggregate Dense, 990 Ton; Concrete Masonry Bridges, 276 CY; Bar Steel Reinforcement, 13,060 Lbs; Bar Steel Reinforcement Coated, 23,010 Lbs; Piling CIP Concrete, 320 LF 10 3/4-Inch; Piling Steel, 560 LF 10-Inch; Construction Staking, 1,566 LF; Construction Staking, 4 LS; Incentive Strength Concrete Structure, 1,656 Dol; Asphaltic Surface, 98 Ton; Tack Coat, 12 Gals.

DBE Goal: 5 %

Contract Completion Time: 70 Working Days

For further information, contact: Chris Ehlert, (715) 231-1600.

42. CTH W - USH 8, (CTH W - North Potato Lake Road); Rusk County; 8797-00-70, WISC 2010 227; Local; 0.000 Miles; Pulverize and Relay, Base, Asphalt Pavement, Beam Guard, and Pavement Marking.

Guaranty Required \$40,000.00

Estimate of Principal Items: Base Aggregate Dense, 4,500 Ton; Pavement Marking Epoxy, 34,340 LF; Construction Staking, 10,227 LF; Construction Staking, 1 LS; Incentive Density HMA Pavement, 3,270 Dol; Steel Plate Beam Guard, 640 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement Type E-1, 5,100 Ton; Tack Coat, 650 Gals; Asphaltic Material, 306 Ton; Pulverize and Relay, 26,000 SY.

DBE Goal: 6 %

Contract Completion Time: 20 Working Days

For further information, contact: Chris Ehlert, (715) 231-1600.

43. Springbrook - Hayward, Namekagon River Bridge, B-65-0009; Washburn County; 8843-00-70, WISC 2010 228; CTH E; 0.058 Miles; Base, Structure B-65-0009, Asphalt Pavement, Beam Guard, Pavement Markings, and Signs.

Guaranty Required \$20,000.00

Estimate of Principal Items: Backfill Structure, 10 CY; Base Aggregate Dense, 68 Ton; Concrete Masonry Bridges, 32 CY; Concrete Masonry Overlay, 21 CY; Bar Steel Reinforcement Coated, 6,230 Lbs; Pavement Marking Epoxy, 1,220 LF; Construction Staking, 305 LF; Construction Staking, 1 LS; Incentive Strength Concrete Structure, 500 Dol; Steel Plate Beam Guard, 284 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 54 Ton; Tack Coat, 16 Gals; Signs, 12 SF.

DBE Goal: 5 %

Contract Completion Time: 40 Working Days

For further information, contact: Chris Ehlert, (715) 231-1600.

44. City of Chippewa Falls, Bridge Street, Spring Street to Willow Street; Chippewa County; 8996-00-88, WISC 2010 229; Local Street; 0.265 Miles; Mill, Asphalt Pavement, Curb and Gutter, Sidewalk, and Pavement Marking.

Guaranty Required \$20,000.00

Estimate of Principal Items: Pavement Marking Epoxy, 4,753 LF; Construction Staking, 1,400 LF; Incentive Density HMA Pavement, 1,350 Dol; Concrete Curb and Gutter, 344 LF; Concrete Sidewalk, 305 SF; HMA Pavement Type E-3, 2,100 Ton; Removing Asphaltic Surface Milling, 6,355 SY; Tack Coat, 150 Gals; Asphaltic Material, 125 Ton.

DBE Goal: 4 %

Contract Completion Time: 20 Working Days

For further information, contact: Chris Ehlert, (715) 231-1600.

45. City of Superior, Hill Avenue and Broadway Street, 28th Street North to Maple Avenue and Ogden Avenue to Hammond Avenue; Douglas County; 8998-00-16, WISC 2010 230; Local Street; 0.8070 Miles; Mill, Asphalt Pavement, Base, Curb and Gutter, Sidewalk, Signs, and Pavement Marking.

Guaranty Required \$20,000.00

Estimate of Principal Items: Base Aggregate Dense, 160 Ton; Pavement Marking Epoxy, 10,180 LF; Construction Staking, 5,284 LF; Construction Staking, 1 LS; Incentive Density HMA Pavement, 3,300 Dol; Concrete Curb, 270 LF; Concrete Curb and Gutter, 750 LF; Concrete Sidewalk, 2,775 SF; HMA Pavement Type E-1, 5,155 Ton; Removing Asphaltic Surface Milling, 22,675 SY; Tack Coat, 955 Gals; Asphaltic Material, 310 Ton; Concrete Driveway, 55 SY; Signs, 36 SF.

DBE Goal: 6 %

Contract Completion Time: 45 Working Days

For further information, contact: Chris Ehlert, (715) 231-1600.

46. Greiner Road Bridge and Approaches, Town of Freedom, Branch of Apple Creek; Center Valley Road Bridge and Approaches, Town of Freedom, Duck Creek; Outagamie County; 6501-02-71, WISC 2010 085; 6501-03-71, WISC 2010 086; Town Roads; 0.154 Miles; Grade, Base, Asphalt Pavement, Beam Guard, Pavement Marking, and Structures B-44-211 and B-44-212.

Guaranty Required \$20,000.00

Estimate of Principal Items: Excavation Common, 906 CY; Borrow, 507 CY; Backfill Structure, 660 CY; Base Aggregate Dense, 2,935 Ton; Concrete Masonry Bridges, 165 CY; Concrete Masonry Culverts, 175 CY; Bar Steel Reinforcement, 22,240 Lbs; Bar Steel Reinforcement Coated, 22,560 Lbs; Piling Steel, 280 LF 10-Inch; Pavement Marking Epoxy, 3,260 LF; Construction Staking, 2,310 LF; Construction Staking, 4 LS; Incentive Density HMA Pavement, 275 Dol; Incentive Strength Concrete Structure, 2,040 Dol; Steel Plate Beam Guard, 284 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 10 Ton; HMA Pavement Type E-0.3, 440 Ton; Tack Coat, 55 Gals; Asphaltic Material, 28 Ton.

DBE Goal: 9 %

Contract Completion Time: 45 Working Days

For further information, contact: Jill Treadway, (920) 468-4771.

47. S. 76th Street, W. Oklahoma Avenue - W. Cleveland Avenue; W. National Avenue, S. 76th Street - S. 68th Street; S. 68th Street, W. Arthur Avenue - W. Lincoln Avenue; Milwaukee County; 2160-00-75, WISC 2010 065; 2410-00-75, WISC 2010 066; 2655-00-70, WISC 2010 069; Local; 0.000 Miles; Crack and Seat, Mill, Base, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Storm Sewer, Signs, and Pavement Marking.

Guaranty Required \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 1,315 Ton; Concrete Pavement, 5,305 SY; Pavement Marking Epoxy, 10,720 LF; Construction Staking, 7,156 LF; Construction Staking, 3 LS; Incentive Strength Concrete Pavement, 695 Dol; Incentive Density HMA Pavement, 4,570 Dol; Concrete Curb, 130 LF; Concrete Curb and Gutter, 2,470 LF; Concrete Sidewalk, 7,580 SF; Asphaltic Surface, 74 Ton; HMA Pavement Type E-1, 1,440 Ton, Type E-3, 5,690 Ton; Removing Asphaltic Surface Milling, 6,700 SY; Tack Coat, 1,560 Gals; Asphaltic Material, 397 Ton; Cracking and Seating, 26,150 SY; Signs, 29 SF.

DBE Goal: 15 %

Contract Completion Date: July 2, 2010

For further information, contact: Joe Klarkowski, (414) 935-4110.

By order of:

Kevin Chesnik
Administrator
Division of Transportation System Development